

**A user-friendly  
scanner for  
all your basic  
scanning needs**



**30**  
ppm

User-friendly and versatile, the Canon DR-C130 delivers exceptional scanning capability. Smart but simple features make it easy to use while its slim, compact design means it can fit virtually anywhere – at home or in the office.

# DR-C130

*Speed, performance and ease-of-use delivered in a flexible, streamlined design.*

The DR-C130 is a compact, workgroup document scanner that features fast, high-quality scanning with efficiency-boosting functions such as Ultrasonic Double Feed Detection that ensures you will never miss a single scan again.

## Versatile, space-saving design

### Compact footprint

The DR-C130 small footprint and versatile tray design make it ideal for use on desktops, countertops or anywhere that space is tight. The three-way design allows the scanner to be used whether the built-in eject tray is closed, open, or half-opened with a stopper (for card-size documents, not shown) depending on your workspace.



### Versatile document handling

Canon's newly designed paper path ensures smooth scanning of a wide variety of document types: thick documents, multi-sheet forms, driver's licences and even embossed plastic cards. Using the Folio mode, you can scan even larger documents up to A3 size.




Card scanning

## Fast, reliable scanning


### Fast scanning, even in colour

The DR-C130 scanner delivers a top speed of 30 ppm/60 ipm and is capable of duplex colour or monochrome scans in a single pass. The automatic document feeder holds up to 50 sheets, allowing for efficient batch scanning.



### Reliable document feeding


Canon's reliable page separation technology provides smooth feeding of a wide variety of document sizes and weights. Plus, the Ultrasonic Double Feed Detection and Rapid Recovery features enhance reliability, ensuring each and every page is scanned.



## Easy to use

### Easy access to functions

Start, stop and resume scanning operations simply with the easy-to-find buttons located at the front of the scanner. The CaptureOnTouch feature allows you to register a job and assign it to the start button enabling the quick execution of frequently used scanning operations.






## Image processing options for precise and accurate reproduction


### Skip Blank Page

This function allows you to delete images of blank pages, during simplex or duplex scanning, preventing redundancy. It also works with blank, coloured-paper documents.




### Text Orientation Recognition

The DR-C130 scanner can detect and automatically rotate text in the scanned image to the correct orientation removing the hassle of rotating them manually.



### De-skew

The DR-C130 incorporates a newly-added de-skew function that detects and straightens skewed text in scanned images eliminating the need for rescans and ensuring smooth, continuous scanning.



### Auto Color Detection

Based on the document content, the DR-C130 can automatically determine whether to save scanned images in colour or not, eliminating the need to separate colour or monochrome documents manually before scanning.

### Full Auto Mode

This mode automatically determines the best scan settings based on the document contents. It also includes the Skip Blank Page function for efficient scanning of only the necessary pages.

## Bundled Software

### Capture OnTouch

CaptureOnTouch, a software tool made especially for use with Canon's DR Series scanners, makes it easy for anyone to scan documents quickly and easily. The software provides two methods of scanning: 'First Scan,' which uses automatically determined scan settings, and 'Select Scan Job,' which allows scan settings to be pre-configured for specific jobs and then selected for scanning at the touch of a button.



#### Supported file format




### Cloud service plug-ins

The scanner comes bundled with plug-ins for connecting to cloud and ECM services, such as Evernote, Google Docs™, and Microsoft SharePoint. Depending on your environment and needs, you can install the plug-ins for fast, flexible sharing of scanned data.

### Capture Perfect

CapturePerfect streamlines the image capture process and produces consistent, high-quality scans from even the most difficult original documents. Through an easy-to-use interface, the software provides advanced editing, file naming, and distribution options for scanned documents, including scan to PC, printer, email, or projector. A wide choice of file-saving formats are available, including searchable PDF with embedded text, encrypted PDF, and more.



### Presto BizCard

Presto! BizCard lets you scan business cards to convert and organize important contact information into a searchable database.

### Omnipage

Omnipage converts original paper documents into editable electronic files through OCR.

### PaperPort

PaperPort is a file management application renowned for its intuitive and use-friendly graphic interface, making it easy to store, organize, and retrieve your digital documents.



eCopy PDF Pro Office instantly creates 100% industry-standard, universally viewable PDFs files, and converts static PDF documents into editable files and useful information. eCopy PDF Pro Office allows you to attain the flexibility of a universal document format for higher productivity and seamless information exchange.



Evernote is a cloud based data management application. The CaptureOnTouch software comes equipped with an option to send and store data (scanned images, photos, memos, etc.) to the Evernote server.

### Ready for EMC Captiva Cloud Capture

Includes EMC Captiva Cloud Capture runtime library that makes it possible to add scanner capability to Web-based applications. The library allows EMC Captiva Cloud Capture-compatible Web applications to provide scanning capability for cloud-based applications.

# DR-C130 Specifications



Type	Desktop sheetfed scanner	
Document feeding	Automatic or manual sheet feeding	
Document size	Width: 50.8 - 215.9 mm	
	Length: 53.9 - 355.6 mm	
Document thickness and weight	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m <sup>2</sup>	
	Manual feeding: 0.05 - 0.20 mm, 40 - 157 g/m <sup>2</sup>	
Card size and thickness	Size: 53.9 x 85.5 mm	
	Thickness: no more than 0.76 mm, cards with embossed letters are supported	
Feeding capacity	50 high-quality sheets, or stacks no thicker than 5 mm (including curls)	
Scanning element	1-line CMOS CIS	
Light source	LED (red, green, and blue)	
Scanning side	Simplex / Duplex / Skip blank page / Folio	
Scanning modes	Black and white, Error diffusion, Text enhancement (two types)	
	256-level Grayscale	
	24-bit Color	
Scanning resolutions	150 x 150 dpi, 200 x 200 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi	
Scanning speed* (A4/LTR, Portrait, 200 dpi)	Black and White	30 ppm (simplex) / 60 ipm (duplex)
	256-level Grayscale	30 ppm (simplex) / 60 ipm (duplex)
	24-bit Color	30 ppm (simplex) / 60 ipm (duplex)
Useful functions	Double feed detection, Advanced text enhancement, Skip blank page, Prescan, Auto paper size detection, Deskew, Batch separation, Color drop-out, Color enhancement, Text orientation recognition, Continuous scanning, Edge enhancement, Preset gamma curve, Scan area settings, Multistream settings, Folio scanning, Remove background, Moire reduction, Background smoothing, Full auto mode, Reduction ratio adjustment	
Interface	Hi-Speed USB 2.0	
Software	ISIS/TWAIN Driver, CaptureOnTouch, CapturePerfect, eCopy PDF Pro Office, PaperPort SE, OmniPage SE, BizCard Reader	
Power requirements	AC100 - 240V (50/60 Hz)	
Power consumption	Scanning: 16W, Sleep mode: 1.8W, Power Turned Off: less than 0.3W	
Operating environment	10 - 32.5°C, Humidity: 20 - 80% RH	
Dimensions (W x D x H)	298 x 160 x 160 mm, with feed trays closed	
Weight	Approx. 1.8 kg, excluding AC adapter	
Optionals/Consumables	Exchange Roller Kit (feed roller, retard roller, document holding guide)	

\*Actual scanning speed may vary depending on your system configuration and PC.

## Easy maintenance

The DR-C130 is durable and easy to keep in top scanning condition. A user-installable Exchange Roller Kit (sold separately) is available for replacing worn rollers—no service technician is required.

Powered by  
**ADOBE® PDF LIBRARY**



**Canon**  
Delighting You Always

## SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.  
1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632  
Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg

### CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

#### Bangladesh:

Flora Limited  
Adamjee Court Annex-2 (4th Floor)  
119-120 Motijheel Commercial Area  
Dhaka 1000 Bangladesh  
Tel: 880-2-716-2742-46 / 225  
Fax: 880-2-955-0030  
www.floralimited.com

J.A.N. Associates Ltd  
House 25, Road 5, Dhanmondi R/A,  
Dhaka-1205, Bangladesh  
Tel: (880) 2 8611444 / 9660601 /  
9664101 / 8124941  
Fax: (880) 2 8610410

#### Brunei:

Interhouse Company  
No. 5-7 Bunut Jaya Complex  
Spg 574 Jalan Tutong BF1320  
P.O. Box 423, Seri Complex  
Bandar Seri Begawan BA 1779  
Brunei Darussalam  
Tel: 673-2-653-001  
Fax: 673-2-653-003

#### Cambodia:

Royal Cambodia Co., Ltd  
#437 Preah Monivong Blvd  
Phnom Penh  
Kingdom of Cambodia  
Tel: 855-23-428955  
Fax: 855-23-722961

#### Hong Kong:

Canon Hongkong Co. Ltd  
19F, The Metropolis Tower  
10 Metropolis Drive  
Hung Hom, Hong Kong  
Tel: 852-3191-2388  
Fax: 852-2369-3800  
www.canon.com.hk

#### India:

Canon India Private Limited  
7th Floor, Tower B, Building #5  
DLF Cyber Terraces, DLF Phase-3  
Gurgaon - 122002  
Haryana, India  
Tel: 91-124-416 0000  
Fax: 91-124-416 0011  
www.canon.co.in

#### Indonesia:

P. T. Datascrip  
Kawasan Niaga Selatan Blok B-15  
Bandar Kemayoran  
Jakarta 10610 Indonesia  
Tel: (62) 21 6544515  
Fax: (62) 21 6544811 to 13  
www.datascrip.com

#### Malaysia:

Canon Marketing (Malaysia) Sdn Bhd  
Block D, Peremba Square  
Saujana Resort Section U2,  
40150 Shah Alam  
Selangor Darul Ehsan, Malaysia  
Tel: 60-3-7844 6000 / 7845 0055  
Fax: 60-3-7844 6196 / 6198  
www.canon.com.my

#### Maldives:

Simdi Company Pvt Ltd.  
G.Manaa Building,  
2/1 Neeloafaru Magu,  
Male' 20-129, Maldives  
Tel: 960-333 4421  
Fax: 960-333 4424

#### Myanmar:

Myanmar Golden Rock International Co., Ltd  
Level 6, FJV Commercial Centre  
No: 422-426, Strand Road Botataung  
Township Yangon, Myanmar  
Tel: 95-1-202092 to 96  
Fax: 95-1-202079  
Email: sales@mgr.com.mm

#### Nepal:

International Electronics Concern  
(P) Ltd  
Kha 14, 1st Floor  
Haratibhawan Putalisadak  
Ramshah Path, Kathmandu, Nepal  
P.O. Box 12588  
Tel: 977-1-442 1991  
Fax: 977-1-442 1909

#### Pakistan:

Shirazi Trading Company (Pvt.) Ltd  
8th Floor, Adamjee House  
I.I. Chundrigar Road  
Karachi 74000 Pakistan  
Tel: 92-21-3241 (7659), (7737) or (7746)  
Fax: 92-21-(3241 7747), (3242 0417) or  
(3242 0418)  
www.shirazitradng.com.pk

#### Philippines:

Canon Marketing (Philippines), Inc.  
Ground Floor Commerce and Industry Plaza,  
Campus Ave. Cor. Park Ave., McKinley Hill  
Fort Bonifacio, Taguig City  
Tel: 632-884-9000  
Fax: 632-556-1456  
www.canon.com.ph

#### Sri Lanka:

Metropolitan Computers (Pvt.) Ltd  
85 Braybrooke, Place Colombo 2,  
Sri Lanka  
Tel: 94-112-437797  
Fax: 94-112-448980  
www.metropolitan.lk

#### Thailand:

Canon Marketing (Thailand) Co. Ltd  
No.98 Sathorn Square Office Tower,  
21st - 24th floor, North Sathorn Road,  
Silom, Bangkok, Bangkok 10500  
Tel: 66-2-344 9999  
Fax: 66-2-344 9960  
www.canon.co.th

#### Vietnam:

Canon Marketing Vietnam Company  
Limited  
Unit 6, 6th Floor, Saigon Centre  
65 Le Loi, District 1, Ho Chi Minh City,  
Vietnam  
Tel: (84-8) 38200 466  
Fax: (84-8) 38200 477  
www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageFORMULA and Business are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks of their respective owners.

Dealer's Stamp